





NOTE: ALL CONCRETE MEETS WYDOH CLASS B+1.



SECTION A-A



ELEVATION

WEIGHTS:

- 15' - 2356#
- 18' - 2584#
- 24' - 3876#
- 36' - 7068#

INSIDE DIA. OF PIPE	DIMENSIONS									REINFORCING					
	A	B	C	D	E	F	G	H	MARK	SIZE	NO.	LENGTH		TOTAL	TYPE
												A	B		
15'/18'	2'-0"	1'-1"	2'-2"	2'-3"	6'-10 1/2"	3'-3 1/4"	8'	5 3/8"	H1	#4	2	2'-1"	3'-2 1/2"	8'-6"	BENT
									H2	#4	1			6'-4"	STR.
									V	#4	13			3'-0"	BENT
24'	2'-8"	1'-4"	2'-9"	2'-11"	8'-10 1/2"	4'-2 1/2"	8'	5 3/8"	H1	#4	2	2'-9"	4'-1 1/2"	11'-0"	BENT
									H2	#4	1			8'-4"	STR.
									V	#4	16			3'-0"	BENT
30'	3'-1"	2'-3"	3'-11"	3'-5"	10'-4 1/2"	4'-11"	9'	6 3/4"	H1	#4	2	3'-3"	4'-10 1/2"	13'-0"	BENT
									H2	#4	1			9'-10"	STR.
									V	#4	17			3'-0"	BENT
36'	3'-9"	1'-10"	3'-10"	4'-1"	12'-4 1/2"	5'-10 1/2"	9'	6 3/4"	H1	#4	2	3'-11"	5'-9 1/2"	15'-6"	BENT
									H2	#4	1			11'-10"	STR.
									V	#4	21			3'-0"	BENT

FOSTER SUPPLY
(304)755-8241

PIPE CULVERT
WINGWALLS